

**MAXFORCE WHITE 1C**Version 3 / GB
1020000073471/8
Revision Date: 02.07.2009
Print Date: 05.07.2011**1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING****Product information**

Trade name MAXFORCE WHITE 1C
Product code (UVP) 05178819
Usage Insecticide
Company Bayer Environmental Science
230 Cambridge Science Park
Milton Road
Cambridge
Cambridgeshire CB4 0WB
Great Britain

Telephone +44(0)1223 226500
Telefax +44(0)1223 426240
Responsible Department Email: ukinfo@bayercropscience.com

Emergency telephone number 0800-220876 (UK 24 hr)
+44(0)1603-242424 (Overseas 24 hr)

2. HAZARDS IDENTIFICATION**Risk advice to man and the environment**

|| Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

3. COMPOSITION/INFORMATION ON INGREDIENTS**Chemical nature**

Bait (ready for use) (RB)
Imidacloprid 2,15 %

Hazardous components

Chemical Name	CAS-No. / EC-No.	Symbol(s)	R-phrase(s)	Concentration [%]
Imidacloprid	138261-41-3 428-040-8	Xn	R22, R52	2.15
Glycerine	56-81-5 200-289-5			> 1.00

For the full text of the R-phrases mentioned in this Section, see Section 16.

4. FIRST AID MEASURES**General advice**

The nature of this product, when contained in commercial packs, makes spillage unlikely. However, if significant amounts are spilled nevertheless, the following advice is applicable. Move out of dangerous area. Place and transport victim in stable position (lying sideways). Remove contaminated clothing immediately and dispose of safely.



MAXFORCE WHITE 1C

Version 3 / GB
102000007347

2/8
Revision Date: 02.07.2009
Print Date: 05.07.2011

Inhalation

Move the victim to fresh air and keep at rest. If symptoms persist, call a physician.

Skin contact

Wash off thoroughly with plenty of soap and water, if available with polyethyleneglycol 400, subsequently rinse with water. Get medical attention if irritation develops and persists.

Eye contact

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Get medical attention if irritation develops and persists.

Ingestion

Call a physician or poison control center immediately. Rinse mouth. Induce vomiting only, if:
1. patient is fully conscious, 2. medical aid is not readily available, 3. a significant amount (more than a mouthful) has been ingested and 4. time since ingestion is less than 1 hour. (Vomit should not get into the respiratory tract.)

Notes to Physician

Treatment

Treat symptomatically.
Monitor: respiratory and cardiac functions.
In case of ingestion gastric lavage should be considered in cases of significant ingestions only within the first 2 hours. However, the application of activated charcoal and sodium sulphate is always advisable.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Extinguishing media which should not be used for safety reasons

High volume water jet

Specific hazards during fire fighting

Dangerous gases are evolved in the event of a fire.

Special protective equipment for fire-fighters

In the event of fire and/or explosion do not breathe fumes.
In the event of fire, wear self-contained breathing apparatus.

Further information

Contain the spread of the fire-fighting media.
Do not allow run-off from fire fighting to enter drains or water courses.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions

Avoid contact with spilled product or contaminated surfaces.
Use personal protective equipment.

Environmental Precautions

Do not allow to get into surface water, drains and ground water.
If spillage enters drains leading to sewage works inform local water company immediately.
If spillage enters rivers or watercourses, inform the Environment Agency (emergency telephone number 0800 807060).

**MAXFORCE WHITE 1C**Version 3 / GB
1020000073473/8
Revision Date: 02.07.2009
Print Date: 05.07.2011**Methods for cleaning up**

The nature of this product, when contained in commercial packs, makes spillage unlikely. However, if significant amounts are spilled nevertheless, the following advice is applicable. Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder). Clean contaminated floors and objects thoroughly, observing environmental regulations. Keep in suitable, closed containers for disposal.

Additional Advice

Information regarding safe handling, see section 7.
Information regarding personal protective equipment, see section 8.
Information regarding waste disposal, see section 13.

7. HANDLING AND STORAGE**Handling**

Advice on safe handling

No specific precautions required when handling unopened packs/containers; follow relevant manual handling advice.

Storage

Requirements for storage areas and containers

Keep containers tightly closed in a dry, cool and well-ventilated place.
Store in original container.
Store in a place accessible by authorized persons only.

Advice on common storage

Keep away from food, drink and animal feedingstuffs.

Temperature tolerance	min.	max.
	-10 °C	38 °C

Suitable materials

HDPE (high density polyethylene)
Polypropylene

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Refer to COSHH assessment (Control of Substances Hazardous to Health (Amendment) Regulations 2004). Engineering controls should be used in preference to personal protective equipment wherever practicable. Refer also to COSHH Essentials.

Components with workplace control parameters

Components	CAS-No.	Control parameters	Update	Basis
Imidacloprid	138261-41-3	0.7 mg/m ³		OES BCS*
Glycerine (Mist.)	56-81-5	10 mg/m ³ (TWA)	2007	EH40 WEL

*OES BCS: Internal Bayer CropScience "Occupational Exposure Standard"

Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.



MAXFORCE WHITE 1C

Version 3 / GB
102000007347

4/8
Revision Date: 02.07.2009
Print Date: 05.07.2011

Respiratory Protection	No personal respiratory protective equipment normally required. Respiratory protection should only be used to control residual risk of short duration activities, when all reasonably practicable steps have been taken to reduce exposure at source e.g. containment and/or local extract ventilation. Always follow respirator manufacturer's instructions regarding wearing and maintenance.
Hand protection	Wear CE Marked (or equivalent) nitrile rubber gloves (minimum thickness 0,40 mm). Wash when contaminated. Dispose of when contaminated inside, when perforated or when contamination outside cannot be removed. Wash hands always before eating, drinking, smoking or using the toilet.
Eye protection	Wear goggles conforming to EN166 (Field of Use 5 or equivalent).
Skin and body protection	Wear standard coverall and type 6 suit. Wear two layers of clothing wherever possible. Polyester/cotton or cotton overalls should be worn under chemical protection suit and should be professionally laundered frequently.
Hygiene measures	Avoid contact with skin, eyes and clothing. Keep working clothes separately. Wash hands before breaks and immediately after handling the product. Remove soiled clothing immediately and clean thoroughly before using again. Garments that cannot be cleaned must be destroyed (burnt).

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Form	gel
Colour	white to beige
Odour	weak, characteristic

Safety data

pH	4.5 at 5 %
Flammability (solid, gas)	The product is not highly flammable.
Autoignition Temperature	> 381 °C
Density	approx. 1.21 g/cm ³ at 20 °C
Water solubility	miscible
Impact Sensitivity	not impact-sensitive
Explosivity	Not explosive.

10. STABILITY AND REACTIVITY

**MAXFORCE WHITE 1C**Version 3 / GB
1020000073475/8
Revision Date: 02.07.2009
Print Date: 05.07.2011

Conditions to Avoid	Extremes of temperature and direct sunlight.
Hazardous Reactions	No hazardous reactions when stored and handled according to prescribed instructions. Stable under recommended storage conditions.

11. TOXICOLOGICAL INFORMATION

Acute Oral Toxicity	LD50 (rat) > 5,000 mg/kg
Acute Dermal Toxicity	LD50 (rat) > 5,000 mg/kg
Skin Irritation	No skin irritation. (rabbit)
Eye Irritation	No eye irritation. (rabbit)
Sensitization	Non-sensitizing. (guinea pig) OECD Test Guideline 406, Buehler test
Sensitization	Non-sensitizing. (guinea pig) OECD Test Guideline 406, Magnusson & Kligman test

12. ECOLOGICAL INFORMATION**Ecotoxicity effects**

Toxicity to Fish	LC50 (Rainbow trout (<i>Oncorhynchus mykiss</i>)) 211 mg/l Exposure time: 96 h The value mentioned relates to the active ingredient imidacloprid.
Toxicity to daphnia	EC50 (Water flea (<i>Daphnia magna</i>)) 85 mg/l Exposure time: 48 h The value mentioned relates to the active ingredient imidacloprid.
Toxicity to daphnia	LC50 (<i>Chironomus riparius</i> (non-biting midge)) 0.0552 mg/l Exposure time: 24 h The value mentioned relates to the active ingredient imidacloprid.
Toxicity to algae	EC50 (<i>Desmodesmus subspicatus</i>) > 10 mg/l Growth rate; Exposure time: 72 h The value mentioned relates to the active ingredient imidacloprid.

13. DISPOSAL CONSIDERATIONS**Product**

In accordance with current regulations and, if necessary, after consultation with the site operator and/or with the responsible authority, the product may be taken to a waste disposal site or incineration plant.

Advice may be obtained from the local waste regulation authority (part of the Environment Agency in the UK).



MAXFORCE WHITE 1C

Version 3 / GB
102000007347

6/8
Revision Date: 02.07.2009
Print Date: 05.07.2011

Contaminated packaging

Empty remaining contents.
Do not use containers for other products.
Rinsed packaging may be acceptable for landfill, otherwise incineration will be required in accordance with local regulations.
Not completely emptied packagings should be disposed of as hazardous waste.

Waste key for the unused product

020108 agrochemical waste containing dangerous substances

14. TRANSPORT INFORMATION

ADR/RID/ADNR

UN-Number	3077
Labels	9
Packaging group	III
Hazard no.	90
Description of the goods	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (IMIDACLOPRID MIXTURE)
Tunnel Code	E

This classification is in principle not valid for carriage by tank vessel on inland waterways.
Please refer to the manufacturer for further information.

IMDG

UN-Number	3077
Labels	9
Packaging group	III
EmS	F-A , S-F
Marine pollutant	Marine pollutant
Description of the goods	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (IMIDACLOPRID MIXTURE)

IATA

UN-Number	3077
Labels	9
Packaging group	III
Description of the goods	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (IMIDACLOPRID MIXTURE)

UK 'Carriage' Regulations

UN-Number	3077
Labels	9
Packaging group	III
Hazard no.	90
Emergency action code	2Z
Description of the goods	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (IMIDACLOPRID MIXTURE)

15. REGULATORY INFORMATION



MAXFORCE WHITE 1C

Version 3 / GB
102000007347

7/8
Revision Date: 02.07.2009
Print Date: 05.07.2011

This product has been classified in accordance with The Chemicals (Hazard Information and Packaging for Supply) Regulations 2002: CHIP 3 and any subsequent amendments.

Classification:

|| Hazard warning labelling compulsory

Hazardous components which must be listed on the label:

- Imidacloprid

Symbol(s)

|||N Dangerous for the environment

R-phrase(s)

|||R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

S-phrase(s)

|||S35 This material and its container must be disposed of in a safe way.
|||S57 Use appropriate container to avoid environmental contamination.

|| CLASSIFICATION ACCORDING TO SPECIFIC UK REGULATIONS:

|| The labelling information below is that which has been approved under 'The Control of Pesticides Regulations 1986' and/or 'Part III of the Food and Environment Protection Act 1985' and/or 'Plant Protection Product Regulations 1999' and any subsequent amendments and may differ from that indicated by any toxicological and/or other testing otherwise indicated in this 'Safety Data Sheet'.

Classification:

|| Hazard warning labelling not compulsory

Exceptional labelling

To avoid risks to man and the environment, comply with the instructions for use.

Further information

WHO-classification: III (Slightly hazardous)

16. OTHER INFORMATION

Further information

Text of R-phrases mentioned in Section 3

R22 Harmful if swallowed.

R52 Harmful to aquatic organisms.

Ready to use 'Baits' are insecticides packaged in plastic, tamper proof containers.

The above information is intended to give general health and safety guidance on the storage and transport of the product.

It is not intended to apply to the use of the product for which purposes the product label and any appropriate technical usage literature available should be consulted and any relevant licenses, consents or approvals complied with.

The requirements or recommendations of any relevant site or working procedure, system or policy in force or arising from any risk assessment involving the substance or product should take precedence over any of the guidance contained in this safety data sheet where there is a difference in the information given.

The information provided in this safety data sheet is accurate at the date of publication and will be updated as and when appropriate.

No liability will be accepted for any injury, loss or damage resulting from any failure to take



MAXFORCE WHITE 1C

Version 3 / GB
102000007347

8/8
Revision Date: 02.07.2009
Print Date: 05.07.2011

account of information or advice contained in this safety data sheet.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.